

**Update** This shows the condition and cleanup of the cover and material at 14 months

{youtube}LgyNJGltSXs{/youtube}

Condition of the Burrito Wrap Cover at 10 months with no Maintenance.

{youtube}VuYYvyLOMSY{/youtube}

## **Burrito Wrap Covers**

{youtube}9h4UjOpXoIQ{/youtube}

This method of cover is excellent for **HAZ/MAT material containment**. In this Video you will see how you can secure material in a way that provides total containment and if used on a hard surface will keep any runoff water from becoming contaminated, or the material that is being stored from drying out or getting saturated from moisture outside the cover.

## **Applications for Burrito Covers:**

**Hazardous Material Storage**

**Cold Patch Storage**

**Salt Storage**

**Spoils and Excavated Materials from Paved Surfaces.**

**To provided protection from material getting to wet or to dry, thus reducing the cost of processing material to obtain optimum moisture conditions.**

**To provide an easier way to contain materials, reducing or eliminating washing or brushing surfaces where the material was stored.**

[Drawing Detail](#)

[Click here for more information](#)

Because the Symmloc fasteners are small, this makes them easy to transport, unlike bulky heavy sandbags.

**Burrito Wrap installation on June 3, 2011, using 6 mil plastic visqueen.**



Burrito Wrap condition on July 10, 2012 with on maintenance.





2012 was quick and left no mess and didn't require a pressure

~~Multiple photos showing the process of covering the piles with tarps, including the use of an excavator to move material.~~